

XTR Pro 5G

5G Wi-Fi Router

P/N: 700-020



Up to 3.6 Gbps



High-speed 5G



Connect up to 128 devices



Fallback to 4G LTE



Plug & Plav



Cloud-based management




A Fast, Secure, And Reliable 5G Router You Can Count On

Our new cellular router integrates TravlFi's 5G and 4G/LTE network service to provide reliable Internet coverage. Wi-Fi, and wired connections included for powerful network access. The XTR Pro 5G delivers a faster, lower-latency, and higher performing network experience. By simplifying Internet access into a plug and play network, the XTR Pro 5G allows you to stay connected anywhere you go.

Top Features

- Plug and play 5G/4G LTE
- Always-on connectivity
- Secure network
- Remote support
- TravlFi multi-network connectivity
- 3-year warranty
- Wi-Fi 6 router
- Speeds up to 3.6 Gbps



Connect Up To 128 Devices At A Time

Automatic Network Switching

Unleash The Power Of 5G

Secure Private Network

Wi-Fi 6



Supported By TravlFi's Outstanding Service



Your Connection On Your Terms



One Plan, One Device, Multiple Networks



Stream, Work, & Play On The Go

Flexible Pay As You Go Data Plans

5G Unlimited

\$129/mo.


- Speeds up to 100Mbps
- Unlimited use of our reliable network
- (a) 5G + 4G connection
- (\$) No reactivation fee


5G Unlimited Max


\$159/mo.

- Speeds up to 200Mbps
- Unlimited use of our reliable network
- (4) 5G + 4G connection
- No reactivation fee

All plans are Pay As You Go, based on a monthly billing cycle. Additional disclaimers may apply, see travlfi.com/tos for more details.







Dimensions

9.29 x 6.79 x 2.31 inches

XTR Pro 5G Hard	ware Specifications	XTR Pro 50
Hardware Platfori	m	Cloud Man
Stateful Firewall Throughput	2Gbps	
Recommended No. of Users	220 (128 Wi-Fi devices)	InCloud Manager
Interfaces		
Cellular	5G SA&NSA: 4.76Gbps (DL)/1.25Gbps (UL)	Uplink Ma
	4G CAT19: 1.6Gbps (DL)/200Mbps (UL)	Network Access
Ethernet Port	2*2.5 GbE RJ45	
	WAN/LAN switchable, Dual-LAN	Dial-up Service
USB	1*Type-C, USB 2.0, Supports HOST and SLAVE modes	
SIM	1*eSIM 2*SIM, Nano SIM slot, Hot plug	Smart Link
Reset	Reset button	
Power Switch	l*button	Monitoring
Lights	System, Cellular, Signal, WAN, LAN, Wi-Fi	Dashboard
Antenna	6*external sub6 antenna, 4*built-in Wi-Fi antenna	Link Monitoring
Interface	NATM model (4*external sub6 antenna)	
Wi-Fi		Cellular Signal
Radio Frequency	2.4GHz&5.8GHz	
Max Transmission	3600Mbps	Data Secur Network F
Bandwidth Transfer Protocol	802.11 ax/ac/b/g/n , Wi-Fi 6	IP Protoco
Operating Model	AP mode	
Power Supply	Ar IIIode	IP Applicat
Power	Circular interface, 12V 2A	Interface
Power	Circulal interface, 12V ZA	Manageme
Consumption	≤15W	Wi-Fi 6
Mechanical Featu	ires	Policy Manageme
Installation	Wall mounted, desktop mounted	
Dimensions & Weight	236*172.5*58.5 (mm), 2.2lbs	Self Recove
Environment		Security
Working Temp.	-10!C to 50!C	VPN
Storage Temp.	-40!C to 85!C	
Humidity	5% to 95% (non-condensing)	Firewall
Ingress Protection	IP20	Remote M
Physical Propertie	es	Remote
Shockproof	IEC60068-2-27	Access Control
Vibration Resistance	IEC60068-2-6	Cloud
Free Fall	IEC60068-2-32	
Certification		Network Diagnostic
Certification	FCC, IC, PTCRB, VZW, ATT*, TMO*, CE*	Configurat
Warranty	3 years	Backup

Claud Maria	m ont	
Cloud Manage	ment	
	Centralized management platform	
InCloud	Simple and intuitive dashboard	
Manager	User-friendly management	
	Batch upgrade and management	
Uplink Manag	ement	
Notwork	Multiple petwerk access EC//C cellular petwerk access	
Network Access	Multiple network access, 5G/4G cellular network acces ETH network access	
Dial-up Service	PPPoE, cellular automatic redial, dual SIM switching, APN configuration	
Smart Link	Link backup/packet-by-packet load balancing among multiple links	
	Real-time detection of link delay, jitter, and packet loss Supports priority adjustment	
Monitoring & A	lerts	
Dashboard	Device information, interface status, and refined traffic	
	, , , , , , , , , , , , , , , , , , , ,	
Link Monitoring	Link delay, jitter, packet loss, and throughput monitorin	
Cellular Signal	Real-time view of cellular signal strength, RSSI, RSRP, RSRQ, SINR	
Data Security	System logs, diagnostic logs, device events, email alerts	
Network Func	tions	
IP Protocol	IPv4/IPv6*	
IP Application	VLAN, DHCP server/client, DNS, DDNS, fixed address assignment, IP passthrough	
Interface Management	Duplex mode, link negotiation rate, interface enable	
Wi-Fi 6	802.11 ax/ac/b/g/n , Wi-Fi 6, AP	
Policy Management	Policy routing, traffic shaping	
Self Recovery	Built-in software and hardware watchdog, self-healing equipment operation failure, to ensure the equipment maintains high availability	
Security		
VPN	IPSec VPN, L2TP VPN	
Firewall	Access control, port mapping, port forwarding, MAC address filtering	
	Firewall filtering based on MAC, IP, port, and protocol	
Remote Maint	enance	
Remote Access Control	Supports Web/Cli remote access	
Cloud Connection	Remote maintenance of PCs, monitoring equipment, servers, etc.	
Network Diagnostics	Ping, Traceroute, network packet capture tools, diagnostic logs	
	Supports configuration import and export	
Configuration Backup	Supports configuration import and export	